

Predator X34

Quick Guide


Acer LCD Monitor Quick Start Guide (QSG)

Important safety instructions

Please read the following instructions carefully.


- To clean the LCD monitor screen:
 - Turn off the LCD monitor and unplug the power cord.
 - Spray a non-solvent cleaning solution onto a rag and clean the screen gently.
- Do not place the LCD monitor near a window. Exposing the monitor to rain, moisture or sunlight can severely damage it.
- Do not apply pressure to the LCD screen. Excessive pressure may cause permanent damage to the display.
- Do not remove the cover or attempt to service this unit yourself. An authorized technician should perform servicing of any nature.
- Store the LCD monitor in a room with a temperature of -20° to 60° C (-4° to 140° F). Storing the LCD monitor outside this range may result in permanent damage.
- Immediately unplug your monitor and call an authorized technician if any of the following circumstances occur:
 - Monitor-to-PC signal cable is frayed or damaged.
 - Liquid spills onto the LCD monitor or the monitor is exposed to rain.
 - The LCD monitor or case is damaged.
- In order to prevent damage to the LCD panel, do not place the monitor face down on a surface.


Package contents








Connecting your monitor to a computer

- Turn off your computer and unplug your computer's power cord.
- Connect the signal cable to the HDMI (optional) and /or DP (optional) input socket of the monitor, and the HDMI (optional) and /or DP (optional) output socket of the graphics card on the computer. Then tighten the thumbscrews on the signal cable connector.
- Connect the USB Cable(Optional)
Connect the USB 3.0 cable to port for fast charge.
Connect the USB 3.0 cable to port.
- Insert the monitor power cable into the power port at the back of the monitor.
- Connect the power adapter and power cord to the monitor, then to a properly grounded AC outlet.





External controls

1&2	Power button	Turns the monitor on/off. Blue indicates power on. Amber indicates standby/ power saving mode.
3	Function key 	<ol style="list-style-type: none"> Press to view Main page. Press again to enter next function in the Function Menu. When the Function Menu is active, press this key selected or move to the next function.
4	Function key Input 	<ol style="list-style-type: none"> Press to view Main page. Press again to enter Input select function. When the Function Menu is active, press this button selected or move to the previous function.
5	Function key 	<ol style="list-style-type: none"> Press to view Main page. Press again to enter Volume adjustment function. When the Function Menu is active, this button will enter a selection in the OSD.
6	Function key 	<ol style="list-style-type: none"> Press to view Function Menu. Press again to activate the Overdrive function and set it to either Normal or Extreme mode. When the OSD menu is active, this button will act as the exit key (exit OSD menu).
7	Function key 	<ol style="list-style-type: none"> When the Main page is active, Press to trigger the Game mode control When the Function Menu is active, press to select scenario mode.

G-SYNC (DP only):

3440x1440@60Hz:

G-SYNC requires an NVIDIA GeForce GTX650Ti BOOST GPU or higher. For more information, visit the nVidia® website: <http://www.nvidia.com/page/home.html>

3440x1440@100Hz:

G-SYNC requires an NVIDIA GeForce GTX960 BOOST GPU or higher. For more information, visit the nVidia® website: <http://www.nvidia.com/page/home.html>

DTS Sound:



For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks, and DTS Sound is a trademark of DTS, Inc. © DTS, Inc. All Rights Reserved.

Adjusting the OSD settings



Note: The following content is for general reference only. Actual product specifications may vary.


The OSD (onscreen display) can be used to adjust the settings of your LCD monitor. Press the MENU key to open the OSD. You can use the OSD to adjust the picture quality, OSD position and general settings. For advanced settings, please refer to following page:

Main page


<p>Game mode</p>	<ol style="list-style-type: none"> 1.OD (overdrive) options 2.Volume 3.Input selection 4.Function menu

Turn Game mode on or off

Open the Game mode control and turn Game mode on or off using the arrows (OFF/ON), and select which user-defined profile to use (please see the OSD section for more information).




Adjusting the OD setting


Open the OD control and select your preferred OD setting using the arrows. When you are done, use  to go back one level.




Adjusting the volume


Open the Volume control and set the Volume using the arrows. When you are done, use

 to go back one level.




Selecting the input


Open the Input control and select HDMI or DP. When you are done, use  to go back one level.



The Function page

Open the Function page to adjust the Picture, Color, OSD and Setting functions, settings which you want using the arrows. You can also view your monitor's system information from this page. When you are done, use  to go back one level.

Picture



1. Press the MENU key to open the OSD.
2. Using the ▲/▼ keys, select Picture from the OSD. Then navigate to the picture element you wish to adjust.
3. Use the ◀/▶ keys to adjust the sliding scales.
4. The Picture menu can be used to adjust the Acer eColor, Brightness, Contrast, Blue Light, Dark boost and Adaptive contrast.

- Brightness: Adjust the brightness from 0 to 100.



Note: Adjusts the balance between light and dark shades.

- Contrast: Adjust the contrast from 0 to 100.



Note: Sets the degree of difference between light and dark areas.


- Blue Light: Filters out blue light to protect your eyes by adjusting how much blue light is shown -- 80%, 70%, 60%, or 50%.



Note: Higher values allow more blue light through. For the best protection select a lower value.


- Dark boost: This boosts the amplitude of the dark color levels of the display– blacks will be less black. The higher the level, the higher the boost.
- Adaptive Contrast: This method usually increases the global contrast of many images, especially when the usable data of the image is represented by close contrast values. This allows for areas of lower local contrast to gain a higher contrast. The method is useful in images with backgrounds and foregrounds that are both bright or both dark. In particular, the method can lead to better views of bone structure in x-ray images, and to better detail in photographs that are over or under-exposed.

Color




- Press the MENU key to open the OSD.
- Using the ▲/▼ keys, select Color from the OSD. Then navigate to the picture element you wish to adjust.
- Use the ◀/▶ keys to select the setting.
- Gamma mode allows you to adjust the luminance tone. The default value is 2.2 (standard value for Windows).
- Color temperature: Default is warm. You can choose Cool, Warm, Normal, Bluelight or User.
- Saturation: Color brightness can be changed by 0~200 adjustment.
- 6-axis color: Chroma of red, green, blue, cyan, yellow and magenta can be independently adjusted from 0~155, changing the color quality of the image.

OSD



1. Press the MENU key to open the OSD.
2. Using the ▲/▼ keys, select OSD from the OSD. Then navigate to the setting you wish to change.
3. Use the ◀/▶ keys to adjust any sliding scales.
4. Language: Set the OSD menu language.
5. OSD timeout: Adjust the delay before turning off the OSD menu.
6. Refresh rate num: Display the panel's current refresh rate on the screen.
7. Transparency: Select the transparency when using gaming mode. The transparency can be 0% (OFF), 20%, 40%, 60%, or 80%.
8. Game mode: There are three user-defined profiles available. When you have decided what settings suit you, save them and system will be able to recall the settings in the future when you turn on gaming mode and press 1, 2 or 3.
9. Aim point: Show an Aim point on the screen for shooting games.


Setting



1. The Setting menu can be used to select the screen menu language and other important settings, including input and OD level.

2. Press the MENU key to open the OSD.
3. Using the ▲/▼ keys, select Setting from the OSD. Then navigate to the setting you wish to adjust.
4. Use the ◀/▶ keys to select the setting.
5. Input: Select the source from DP In, HDMI.
6. DTS: Turn DTS Sound On or Off. Your monitor is equipped with two 7W speakers on the rear. DTS Sound is stratified and creates a remarkable sonic flow.
7. OD: Select Off, Normal, or Extreme.
8. Ambient light: Adjust the lighting effects, color, and style.
9. Wide mode: You can select which screen aspect you are using. The options are Aspect and 1:1.
10. OverClock: X34 can be overclocked (at the end user's risk) to a higher refresh rate than advertised by the panel specification. This functions that allows this behavior
* After rebooting, use the NVIDIA Control Panel to set the maximum refresh rate. If nothing is displayed, disconnect the DisplayPort™ cable and use the monitor's onscreen display to select a default refresh rate.
11. Deep Sleep : You can select sleep mode on or off, when HDMI or DP source input.
On (default mode): Monitor enter into sleep mode 12minutes after no HDMI or DP source input.
Off : Monitor don't enter into sleep mode while no HDMI or DP source input
12. Reset: Resets the custom color settings to the factory defaults.
13. Power-off USB charge: Turn On or Off.

Product information



1. Press the MENU key to open the OSD.
2. Using the ▲/▼ keys, select Information to view the basic information for your monitor and current input.

Standard timing table

MODE	Resolution		Remark
1	640x480	60Hz	
2	720x480	60Hz	
3	1280x720	60Hz	
4	720x576	50Hz	
5	1280x720	50Hz	
6	1920x1080	60Hz	
7	3440x1440	50Hz	
8	3440x1440*	60Hz	Deafault
9	3440x1440*	75Hz	OverClock
10	3440x1440*	80Hz	OverClock
11	3440x1440*	85Hz	OverClock
12	3440x1440*	90Hz	OverClock
13	3440x1440*	95Hz	OverClock
14	3440x1440*	100Hz	OverClock

*DisplayPort only.

Regulations and safety notices

FCC notices

This device has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and receiver.
- Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/television technician for help.

CE declaration of conformity

Hereby, Acer Inc., declares that this LCD monitor is in compliance with the essential requirements and other relevant provisions of EMC Directive 2004/108/EC, Low Voltage Directive 2006/95/EC, and RoHS Directive 2011/65/EU and Directive 2009/125/EC with regard to establishing a framework for the setting of ecodesign requirements for energy-related product.

Notice: Shielded cables

All connections to other computing devices must be made using shielded cables to maintain compliance with EMC regulations.

Notice: Peripheral devices

Only peripherals (input/output devices, terminals, printers, etc.) certified to comply with the Class B limits may be attached to this equipment. Operation with non-certified peripherals is likely to result in interference to radio and TV reception.

Caution

Changes or modifications not expressly approved by the manufacturer could void the user authority, which is granted by the Federal Communications Commission, to operate this product. In order to prevent damage to the monitor, do not lift the monitor by its base.

Operation conditions

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Notice: Canadian users

CANICES-3(B)/NMB-3(B)

Restriction on Hazardous Substances statement (India)

This product complies with the "India E-waste Rule 2011" and prohibits use of lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers in concentrations exceeding 0.1 weight % and 0.01 weight % for cadmium, except for the exemptions set in Schedule 2 of the Rule.

Disposal of waste equipment by user in private household in the European Union



This symbol on the product or on its packaging indicates that this product must not be disposed of with your other household waste. Instead, it is your responsibility to dispose of your waste equipment by handing it over to a designated collection point for the recycling of waste electrical and electronic equipment. The separate collection and recycling of your waste equipment at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

SPECIFICATION

LCD Panel	Driving system	TFT Color LCD
	Size	34 "W (87cm)
	Pixel pitch	0.233mm(H) x 0.233mm(V)
	Brightness	300cd/m ² (Typical)
	Contrast	100,000,000:1Max. (ACM)
	Viewable angle (Typical)	172° (H) 178° (V) (CR≥10)
	Response time	4ms (GTG,Typical)
	Panel Type	In-Plane Switching
	Video	Digital Interface
	H-Frequency	88KHz~88KHz (3440x1440@60Hz) 150KHz~150KHz (3440x1440@100Hz)
	V-Frequency	30Hz~60Hz (3440x1440@60Hz) 30Hz~100Hz (3440x1440@100Hz)
Display Colors		1.07B Colors
Dot Clock		313MHz (3440x1440@60Hz) 540MHz (3440x1440@100Hz)
Max. Resolution		Normal mode: 3440x1440@60Hz Overclocking mode: 3440x1440@100Hz
Plug & Play		VESA DDCCI/DDC2B
Energy Efficiency Class		C
*Annual Energy Consumption(Typical)		93 (kWh) (for HDMI-input Model)
Power consumption @200cd/m ²	ON Mode	54W(typ.)
	Sleep Mode	0.5W(typ.)
	Off Mode	0.4W(typ.)
Input Connector		DP (Only DP Model) HDMI (Only HDMI Model) USB Hub / USB3.0 x 4 (Only USB Hub Model)
Input Video Signal		DP signal(Only DP-Input Model) HDMI signal(Only HDMI-Input Model)
Speakers(Typical)		7W x 2
Maximum Screen Size		Horizontal:799.8mm Vertical:334.8mm
Power Source		100-240V~, 50/60Hz
Environmental Considerations		Operating Temp: 5° to 35°C Storage Temp: -20° to 60°C Operating Humidity: 10% to 85%
Dimensions		825.1 (W) x 455.9~585.9(H) x 309(D)mm
Weight (N. W.)		9.9kg Unit (net)
Mechanism spec		Tilt: -5° to +35° Swivel: No Height adjustment: 130mm Pivot: No Detachable foot stand: Yes

External Controls:	Switch / Buttons	Power Button Input switch Volume	Over drive Game mode Main Menu OSD Page Right/Left
	Functions	Acer eColor Management Brightness Contrast Blue Light Dark boost Adaptive contrast Gamma Input DTS OD Ambient Light Over Clock Over drive	Color Temp Saturation 6-axis color Language OSD Timeout Refresh rate num Transparency Game mode Aim point Wide Mode Reset Power-off USB charge

* All specifications are subject to change without notice.

Regulatory Compliance



Find manuals and other documents for your Acer product on the official Acer support website.

*Annual energy consumption is calculated using the typical power consumption 4 hours per day, 365 days per year.



ENERGY STAR®

Acer's ENERGY STAR qualified products save you money by reducing energy costs and helps protect the environment without sacrificing features or performance. Acer is proud to offer our customers products with the ENERGY STAR mark.

What is ENERGY STAR?

Products that are ENERGY STAR qualified use less energy and prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency. Acer is committed to offer products and services worldwide that help customers save money, conserve energy and improve the quality of our environment. The more energy we can save through energy efficiency, the more we reduce greenhouse gases and the risks of climate change. More information refers to <http://www.energystar.gov> or <http://www.energystar.gov/powermanagement>

Acer ENERGY STAR qualified products:

- Produce less heat and reduce cooling loads, and warmer climates.
- Automatically go into "display sleep" and "computer sleep" mode after 15 and 30 minute of inactivity respectively.
- Wake the monitor when it is in Active Off mode, move the mouse or press any keyboard key.
- Computers will save more than 80% energy at "sleep" mode.

ENERGY STAR and the ENERGY STAR mark are registered U.S. marks

Congratulations!

This product is TCO Certified – for Sustainable IT



TCO Certified is an international third party sustainability certification for IT products. TCO Certified ensures that the manufacture, use and recycling of IT products reflect environmental, social and economic responsibility. Every TCO Certified product model is verified by an accredited independent test laboratory.

This product has been verified to meet all the criteria in TCO Certified, including:

Corporate Social Responsibility

Socially responsible production - working conditions and labor law in manufacturing country

Energy Efficiency

Energy efficiency of product and power supply. Energy Star compliant, where applicable

Environmental Management System

Manufacturer must be certified according to either ISO 14001 or EMAS

Minimization of Hazardous Substances

Limits on cadmium, mercury, lead & hexavalent chromium including requirements for mercury-free products, halogenated substances and hazardous flame retardants

Design for Recycling

Coding of plastics for easy recycling. Limit on the number of different plastics used.

Product Lifetime, Product Take Back

Minimum one-year product warranty. Minimum three-year availability of spare parts. Product takeback

Packaging

Limits on hazardous substances in product packaging. Packaging prepared for recycling

Ergonomic, User-centered design

Visual ergonomics in products with a display. Adjustability for user comfort (displays, headsets)

Acoustic performance – protection against sound spikes (headsets) and fan noise (projectors, computers)

Ergonomically designed keyboard (notebooks)

Electrical Safety, minimal electro-magnetic Emissions

Third Party Testing

All certified product models have been tested in an independent, accredited laboratory.

A detailed criteria set is available for download at www.tcodevelopment.com, where you can also find a searchable database of all TCO Certified IT products.

TCO Development, the organization behind TCO Certified, has been an international driver in the field of Sustainable IT for 20 years. Criteria in TCO Certified are developed in collaboration with scientists, experts, users and manufacturers. Organizations around the world rely on TCO Certified as a tool to help them reach their sustainable IT goals. We are owned by TCO, a non-profit organization representing office workers. TCO Development is headquartered in Stockholm, Sweden, with regional presence in North America and Asia.

For more information, please visit
www.tcodevelopment.com



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Declaration of Conformity

We,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Contact Person: Mr. RU Jan, e-mail:ru.jan@acer.com

And,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921 ,Fax: +39-02 9399-2913

www.acer.it

Declare under our own responsibility that the product:

Product:	LCD Monitor
Trade Name:	Acer
Model Number:	X34
SKU Number:	X34 xxxxxx;
	("x" = 0-9, a ~ z, A ~ Z, or blank)

To which this declaration refers conforms to the relevant standard or other standardizing documents:

- EN55022:2010 Class B; EN55024:2010
- EN 61000-3-2:2006+A1:2009+A2:2009, Class D
- EN61000-3-3:2008
- EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
- Regulation (EC) No. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

We hereby declare above product is in compliance with the essential requirements and other relevant provisions of EMC Directive 2004/108/EC, Low Voltage Directive 2006/95/EC, and RoHS Directive 2011/65/EU and Directive 2009/125/EC with regard to establishing a framework for the setting of ecodesign requirements for energy-related product.

Year to begin affixing CE marking 2015.

RU Jan / Sr. Manager
Regulation, Acer Inc.

Jul.10,2015

Date



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Declaration of Conformity

A,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Contact Person: Mr. RU Jan, e-mail:ru.jan@acer.com

E a,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921 ,Fax: +39-02 9399-2913

www.acer.it

Declara que sob a sua responsabilidade que o produto:

Product:	LCD Monitor
Trade Name:	Acer
Model Number:	X34
SKU Number:	X34 xxxxxx; ("x" = 0~9, a~z, A~Z, or blank)

Ao que se refere esta declaração está em conformidade com a norma pertinente ou outros documentos de padronização:

- EN55022:2010 Class B; EN55024:2010
- EN 61000-3-2:2006+A1:2009+A2:2009, Class D
- EN61000-3-3:2008
- EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013
- Regulation (EC) No. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Aqui declaramos que o produto acima está em conformidade com os requisitos essenciais e outras disposições relevantes da Directiva EMC 2004/108/EC, Directiva de Baixa Voltagem 2006/95/EC, a Directiva RoHS 2011/65/EU e a Directiva 2009/125/EC que diz respeito à criação de um quadro para definir os requisitos de concepção ecológica dos produtos relacionados com a energia.

Ano para início da fixação da marca CE 2015.

RU Jan / Sr. Manager
Regulation, Acer Inc.

Jul.10,2015

Date



Déclaration de conformité

Nous,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Personne contact : Mr. RU Jan, email : ru.jan@acer.com

Et,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italie

Tél : +39-02-939-921, Fax : +39-02 9399-2913

www.acer.it

Déclarons sous notre propre responsabilité que le produit :

Produit :	Moniteur LCD
Nom commercial :	Acer
Numéro de modèle réglementaire :	X34
Nom UGS :	X34 xxxxxx;
	(x= A~Z, a~z, 0~9, ou vide)

Auquel cette déclaration se rapporte, est conforme aux normes applicables ou autres documents normatifs :

- EN55022:2010 Class B; EN55024:2010
- EN61000-3-2:2006+A1:2009+A2:2009, Class D
- EN61000-3-3:2008
- EN60950-1:2006/A11:2009/A1:2010+A12:2011
- Règlement (CE) No. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Nous déclarons par la présente que le produit ci-dessus est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive CEM 2004/108/CE, la directive Basse Tension 2006/95/CE, la directive RoHS2011/65/UE et la directive 2009/125/CE en ce qui concerne l'établissement d'un cadre pour la fixation des exigences d'écoconception pour les produits liés à l'énergie.

Année de début d'apposition du marquage CE 2015.

RU Jan / Sr. Manager
Réglementation, Acer Inc.

Jul.10,2015

Date



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Erklärung zur Konformität

Wir,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Kontaktperson: Mr. RU Jan, e-mail: ru.jan@acer.com

Und,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921, Fax: +39-02 9399-2913

www.acer.it

Erklären in eigener Verantwortung, dass das Produkt:

Produkt: LCD-Monitor

Markenname: Acer

Modellnummer: X34

SKU-Nummer: X34 xxxxxx;

("x" = 0-9, a ~ z, A ~ Z oder Leerzeichen)

Auf was sich diese Erklärung bezieht, der einschlägigen Norm oder anderen normativen Dokumenten entspricht:

- EN55022:2010 Klasse B; EN55024:2010
- EN61000-3-2:2006+A1:2009+A2:2009, Klasse D
- EN61000-3-3:2008
- EN60950-1:2006/A11:2009/A1:2010+A12:2011
- Verordnung (EG) Nr. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Wir erklären hiermit, dass obiges Produkt mit den grundlegenden Anforderungen und den anderen relevanten Vorschriften der EMV-Richtlinie 2004/108/EG, Niederspannungsrichtlinie 2006/95/EG und RoHS-Richtlinie 2011/65/EU und Richtlinie 2009/125/EG im Hinblick auf die Schaffung eines Rahmens für die Festlegung von Ökodesign-Anforderungen für Energieprodukte übereinstimmt.

Jahr, in dem mit Anfügen von CE-Marke begonnen wurde, 2015.

RU Jan / Sr. Manager
Vorschrift, Acer Inc.

Jul.10,2015
Datum



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Declaración de conformidad

Nosotros,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Persona de contacto: Mr. RU Jan, e-mail: ru.jan@acer.com

Y,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921, fax: +39-02 9399-2913

www.acer.it

Declaramos bajo nuestra propia responsabilidad que el producto:

Producto:	Monitor LCD
Nombre comercial:	Acer
Número de modelo:	X34
Número SKU:	X34 xxxxxx;
	("x" = 0 - 9, a - z, A - Z o espacio)

Al que hace referencia esta declaración es conforme con el estándar relevante o con otros documentos de estandarización:

- EN55022:2010 Clase B; EN55024:2010
- EN61000-3-2:2006+A1:2009+A2:2009, Clase D
- EN61000-3-3:2008
- EN60950-1:2006/A11:2009/A1:2010+A12:2011
- Reglamento (CE) n.º 1275/2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Por la presente declaramos que este producto cumple con los requisitos básicos y otras disposiciones relevantes de la Directiva 2004/108/CE sobre CEM, la Directiva 2006/95/CE sobre la baja tensión, la Directiva RoHS 2011/65/UE y la Directiva 2009/125/CE por la que se instaura un marco para el establecimiento de los requisitos de diseño ecológico aplicables a productos relacionados con la energía.

Año para empezar a colocar el marcado CE: 2015.

**RU Jan / Director ejecutivo
Reglamento, Acer Inc.**

Jul.10,2015

Fecha



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Verklaring van conformiteit

Wij,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Contactpersoon: Mr. RU Jan, e-mail: ru.jan@acer.com

En,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921, fax: +39-02 9399-2913

www.acer.it

Verklaren op eigen verantwoordelijkheid dat het product:

Product:	Lcd-monitor
Handelsnaam:	Acer
Modelnummer:	X34
SKU-nummer:	X34 xxxxxx; ("x" = 0-9, a ~ z, A ~ Z of blanco)

Datgene waarnaar deze verklaring verwijst, voldoet aan de desbetreffende norm of andere normgevende documenten:

- EN55022:2010 klasse B; EN55024:2010
- EN61000-3-2:2006+A1:2009+A2:2009, klasse D
- EN61000-3-3:2008
- EN60950-1:2006/A11:2009/A1:2010+A12:2011
- Regulering (EC) Nr. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Wij verklaren dat bovenstaand product voldoet aan de essentiële vereisten en andere relevante bepalingen van EMC-richtlijn 2004/108/EG, laagspanningsrichtlijn 2006/95/EG en RoHS-richtlijn 2011/65/EU en Richtlijn 2009/125/EC betreffende de totstandbrenging van een kader voor het vaststellen van eisen inzake ecologisch ontwerp voor energiegerelateerde producten.

Beginjaar voor het aanbrengen van de CE-markering 2015.

RU Jan / Sr. Manager
Regulering, Acer Inc.

Jul.10,2015

Datum



Acer Incorporated
8F, 88, Sec. 1, Xintai 5th Rd., Xizhi
New Taipei City 221, Taiwan

Dichiarazione di conformità

Noi,

Acer Incorporated

8F, 88, Sec. 1, Xintai 5th Rd., Xizhi, New Taipei City 221, Taiwan

Contattare: Signor RU Jan, e-mail: ru.jan@acer.com

E,

Acer Italy s.r.l

Via Lepetit, 40, 20020 Lainate (MI) Italy

Tel: +39-02-939-921, Fax: +39-02 9399-2913

www.acer.it

Dichiariamo sotto la nostra esclusiva responsabilità che il prodotto:

Prodotto:	Monitor LCD
Marchio depositato:	Acer
Numero del modello:	X34
Numero SKU:	X34 xxxxxx;
	("x" = 0~9, a ~ z, A ~ Z, o vuoto)

Al quale si riferisce la presente dichiarazione è conforme al relativo standard o ad altri documenti di standardizzazione:

- EN55022:2010 Classe B; EN55024:2010
- EN61000-3-2:2006+A1:2009+A2:2009, Classe D
- EN61000-3-3:2008
- EN60950-1:2006/A11:2009/A1:2010+A12:2011
- Regolamento (CE) N. 1275/ 2008; EN 50564:2011; IEC 62301:2011
- EN50581:2012

Con la presente dichiariamo che il suddetto prodotto è conforme ai requisiti essenziali e alle altre disposizioni applicabili della Direttiva EMC 2004/108/CE, Direttiva sulla bassa tensione 2006/95/CE, Direttiva RoHS 2011/65/CE e Direttiva 2009/125/CE con riguardo allo stabilire un framework per le impostazioni dei requisiti di ecodesign per i prodotti legati all'energia.



L'anno di inizio applicato è marchiato CE 2015.

**RU Jan / Responsabile senior
Regolazione, Acer Inc.**


Jul.10,2015

Data

Mounting the monitor



Wall mount BKT





*Purchased separately



Note:

- The LCD monitor shall only be used with an approved arm (e.g. GS mark).
- To meet the safety requirements, the monitor must be mounted to an arm that supports the weight of the monitor.
- This monitor supports the VESA industry standard 100 mm mounting holes.



Note:

The monitor could be mounted to the wall through mounting bracket, the steps as below,

1. Remove the stand from the monitor, keep the four screws(M4*10.0mm).
2. To attach the monitor to a mounting bracket (purchased separately)
 - 2.1. Attach the wall mount BKT with four M4*8.0mm screws, tighten it to the back of the monitor;
 - 2.2. Attach the mounting bracket with four M4*10.0mm screws, tighten it to the wall mount BKT.

acer



F41G34M1786-2A----



MU.T3M00.004



Recyclable Paper

