

## WWA120 WCS 8kg Active W1 front-loader washing machine:

A -10 %\* | 8 kg | 1400 rpm | CapDosing | Honeycomb drum | AddLoad



- Tested for 20 years of perfect laundry care\*
- Save even more energy with A -10 %\*\*
- Exclusive CapDosing range for different fabrics and stains\*\*\*
- Our honeycomb drum ensures that laundry stays in perfect condition
- Add or remove individual items during the wash cycle with AddLoad
- \* During the development phase of the W1 washing machine series, Miele tested models and core components in 5000 wash loads (= 5 wash loads per week for 50 weeks per year) in various programmes. More: miele.com/20years
- $^{\star\star}$  10 % more economical than the threshold value (52) for energy efficiency class A
- \*\*\* Patent EP 2 365 120



EAN: 4002516867302 / Material number: 12721160 / Old Material Number: 11WA1201GB

Construction type	
Suitable for stacking	•
Door hinging	right
Side-by-side	•
Slot-in	•
Model	
Product brand	W1 White Edition
Front-loader	•
Spinning	
Max. spin speed	1400
Rinse hold	•
Without spin function	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Obsidian black with white
	ring
Rotary selector colour	Lotus White
Control panel version	5° inclined
Control type	Rotary control
Display	EasyControl yellow
Cleaning performance	
CapDosing portioned dispensing	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	8.0
User convenience	
Delay start up to 24 hours	•
Time left display	•
AutoClean detergent drawer	•
AddLoad	•
Efficiency and sustainability	
Energy efficiency class (A-G)	A
More economical than the threshold value (52) for energy efficiency class A	10%
Weighted energy consumption per 100 operating cycles for the wash cycle in kWh	43
Weighted water consumption per cycle in I	48
Spin efficiency class (A-G)	В
Acoustic airborne noise emission class (spin cycle; A–D)	A
Sound emissions during spin cycle in dB(A) re 1 pW	72
Duration of the "ECO 40–60" programme at nominal capacity	219
Power rating in off mode in W	0.30
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	•
Flow meter	•
Foam sensing	•
ProfiEco motor	•



## WWA120 WCS 8kg Active W1 front-loader washing machine:

A -10 %\* | 8 kg | 1400 rpm | CapDosing | Honeycomb drum | AddLoad



EAN: 4002516867302 / Material number: 12721160 / Old Material Number: 11WA1201GB


Wash programmes	
Cottons (coloureds)	
Cottons with pre-wash	•
Minimum iron	•
Delicates	•
Woollens (hand-washable)	•
Express 20	•
Dark garments / Denim	•
Outerwear	•
Proofing	•
Separate rinse/Starch	•
Drain / Spin	•
ECO 40-60	•
Washing extras	
Short	•
Soak	•
Water plus	•
Additional rinse cycle	•
Safety	
Safety Water protection system	Watercontrol-System
	Watercontrol-System •
Water protection system	Watercontrol-System  •
Water protection system Safety lock	Watercontrol-System  • • •
Water protection system Safety lock PIN-Code	Watercontrol-System
Water protection system Safety lock PIN-Code Optical interface	Watercontrol-System  • • • 850 x 596 x 643
Water protection system Safety lock PIN-Code Optical interface Technical data	•
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm	• • • 850 x 596 x 643
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width)	• • • 850 x 596 x 643 596
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height)	*  *  850 x 596 x 643  596  850
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth)	• • • 850 x 596 x 643 596 850 643
Water protection system  Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door	• • • • • • • • • • • • • • • • • • •
Water protection system  Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door Weight in kg	• • • • • • • • • • • • • • • • • • •
Water protection system  Safety lock PIN-Code Optical interface  Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door Weight in kg Voltage in V	• • • • • • • • • • • • • • • • • • •
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door Weight in kg Voltage in V Fuse rating in A	• • • • • • • • • • • • • • • • • • •
Water protection system Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door Weight in kg Voltage in V Fuse rating in A Frequency in Hz	• • • • • • • • • • • • • • • • • • •
Water protection system  Safety lock PIN-Code Optical interface Technical data Dimensions (H x W x D) in mm Dimensions in mm (width) Dimensions in mm (height) Dimensions in mm (depth) Appliance depth in mm with opened door Weight in kg Voltage in V Fuse rating in A Frequency in Hz Total rated load in kW	• • • • • • • • • • • • • • • • • • •

## Míele


## WWA120 WCS 8kg Active

W1 front-loader washing machine:


A -10 %\* | 8 kg | 1400 rpm | CapDosing | Honeycomb drum | AddLoad




W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm  $\,$