Step up performance. Not size.

Pro-level performance combines with true mobility in this sleek and powerful laptop. Review 3D designs, create with Al tools in pro apps, and work across multiple projects wherever you are. Stay productive with an Al workstation that delivers both performance and long-lasting battery.¹

Upgrade to pro-level components

Say goodbye to lags and crashes with fast responsiveness. With up to an Intel® Core™ Ultra 9 CPU² with up to 13 NPU TOPS,² NVIDIA RTX™ 500 Ada Laptop GPU,³ and 64GB of RAM,³ open large files and run pro apps simultaneously for speedy multitasking.

Work all day. Anywhere.

The most mobile ZBook, now redesigned, is made to move. With a long-lasting battery¹ this sleek device is small enough to fit in your bag so you can stay productive anywhere. This is high performance workstation power on the go.

Accelerate Al workflows

Speed up Al inferencing on the HP ZBook 8, with up to NVIDIA RTX™ 500 Ada Laptop GPU³ delivering up to 154 AI TOPS for Al workflows. Focus on the work that matters and enable productivity without diverting resources from your most demanding work



*Product image may differ from actual product

Sustainability in action

Help protect our shared future with PCs that drive towards increasing sustainability.

At HP, we care about the impact our products have on our people, communities, and the planet. That's why this device is EPEAT® Gold registered and the outer box packaging is 100% sustainably sourced. 5



Featuring

Upgrade to pro-level components

Say goodbye to lags and crashes with fast responsiveness. With up to an Intel[®] Core[™] Ultra 9 CPU² with up to 13 NPU TOPS,² NVIDIA RTX[™] 500 Ada Laptop GPU,³ and 64GB of RAM,³ open large files and run pro apps simultaneously for speedy multitasking.

Work all day. Anywhere

The most mobile ZBook, now redesigned, is made to move. With a long-lasting battery¹ this sleek device is small enough to fit in your bag so you can stay productive anywhere. This is high performance workstation power on the go.

Accelerate Al workflows

Speed up AI inferencing on the HP ZBook 8, with up to NVIDIA RTX™ 500 Ada Laptop GPU³ delivering up to 154 AI TOPS for AI workflows. Focus on the work that matters and enable productivity without diverting resources from your most demanding work.

Help protect our shared future with PCs that drive towards increasing sustainability.

At HP, we care about the impact our products have on our people, communities, and the planet. That's why this device is EPEAT® Gold registered and the outer box packaging is 100% sustainably sourced. 5

HP Recommends Windows 11 Pro for business with Microsoft Copilot

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology. Summarize and rewrite content, get relevant content recommendations, and stay organized with Microsoft Copilot.^{6,7}

Intel® Core™ Ultra Processor

Unleash power-efficient performance with up to an Intel® Core™ Ultra 9 CPU. This CPU not only unlocks performance for the next era of Alenhanced software, but the dedicated NPU* greatly increases efficiency for productivity tasks.²

NVIDIA® Graphics

Tackle your biggest projects with an optional NVIDIA RTX™ 500 Ada Laptop GPU; certified for pro apps.³

Large Memory Configurations

Power through projects with up to 64 GB RAM for fast editing and design.³

Lightning-fast Storage

Blitz through multiple tasks and ditch external drives with up to 2 TB local NVMe storage.⁸

HP Smart Sense

HP Smart Sense intelligently optimizes your PC's thermal and power management based on your usage. Select full performance mode when completing demanding tasks to maximize performance.⁹

OLED Display

With an optional OLED display, the technology lights each pixel separately so you'll get deeper blacks for richer contrast and enhanced color depth than traditional LED screens.³

Network Connectivity

Stay connected from nearly anywhere with support for various network connectivity options. Choose 5G or Wi-Fi 7, for a fast and reliable connection in wireless environments or with the all new RJ-45 get a smooth, wired Internet experience. ^{10,11}

Poly Camera Pro

Look your best on video calls and save some power too. Manage your video controls for internal and external cameras with Poly Camera Pro. Now Auto Frame, Spotlight, Background Blur, and virtual backgrounds save power running on the NPU.¹²

Protected by HP Wolf Security.

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.¹³



Technical specifications

lectifical specifications	
Available Operating Systems	Windows 11 Pro ¹ Windows 11 Home ¹ Windows 11 Pro Education ¹ Windows 11 Pro Education ¹ Windows 11 Pro (Windows 11 Enterprise available with a Volume Licensing Agreement) ¹ Windows 11 Home Single Language – HP recommends Windows 11 Pro for business; FreeDOS 3.0 Ubuntu 24.04 LTS ⁵¹
Processor family ^{2,6}	Intel® Core™ Ultra 9 processor Intel® Core™ Ultra 7 processor Intel® Core™ Ultra 5 processor
Available Processors ^{2,3,4,6}	Intel® Core® Ultra 7 265H (up to 2.5 GHz E-core Max Turbo frequency, up to 4.5 GHz E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores, 2 LP E-cores and 8 E-cores, 16 threads) with Intel® Arc™ Graphics and Intel® Al Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core® Ultra 7 265U (up to 2.4 GHz LP E-core Max Turbo frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.3 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores, 2 LP E-cores and 8 E-cores, 14 threads) with Intel® Graphics and Intel® Al Boost (12 NPU TOPS), supports Intel® vPro® Technology Intel® Core® Ultra 7 255H (up to 2.5 GHz LP E-core Max Turbo frequency, up to 4.4 GHz E-core Max Turbo frequency, up to 5.1 GHz P-core Max Turbo frequency, 24 MB L3 cache, 6 P-cores, 2 LP E-cores and 8 E-cores, 16 threads) with Intel® Care Max Turbo frequency, up to 4.5 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores, 2 LP E-cores and 8 E-cores, 14 threads) with Intel® Graphics and Intel® Al Boost (12 NPU TOPS) Intel® Core® Ultra 5 235H (up to 2.5 GHz LP E-core Max Turbo frequency, up to 4.4 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 18 MB L3 cache, 4 P-cores, 2 LP E-cores and 8 E-cores, 14 threads) with Intel® Graphics and Intel® Al Boost (13 NPU TOPS) Intel® Core® Ultra 5 225U (up to 2.4 GHz LP E-core Max Turbo frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores, 2 LP E-cores and 8 E-cores, 14 threads) with Intel® Graphics and Intel® Al Boost (13 NPU TOPS) Intel® Core® Ultra 5 225U (up to 2.4 GHz LP E-core Max Turbo frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 4.9 GHz P-core Max Turbo frequency, 12 MB L3 cache, 2 P-cores, 2 LP E-cores and 8 E-cores, 14 threads) with Intel® Arc® Graphics and Intel® Al Boost (12 NPU TOPS). Supports Intel® Core® Ultra 5 225H (up to 2.5 GHz LP E-core Max Turbo frequency, up to 4.5 GHz E-core Max Turbo frequency, up to 4.9 GHz P-core Max Turbo f
Neural Processing Unit	Intel® Al Boost ⁶
Chipset	Intel® integrated SoC
Product colour	Meteor silver
Maximum memory	64 GB DDR5-5600 MT/s non-ECC; ⁷ Transfer rates up to 5600 MT/s.
Memory slots	$2 \text{SODIMM}; \text{supports dual channel}^8$
Internal storage	512 GB up to 2 TB PCIe® Gen4 x4 NVMe™ M.2 2280 TLC SSD ¹¹ up to 512 GB PCIe® Gen4 x4 NVMe™ M.2 2280 TLC SED OPAL 2 SSD ¹¹ 256 GB up to 1TB PCIe® Gen4 x4 NVMe™ M.2 2280 SSD ¹¹
Display size (diagonal, metric)	40.6 cm (16")
Display size (diagonal, metric) Display	40.6 cm (16") 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WOXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% DCI-P3, HP DreamColor; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 500 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6
	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 200 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3, HP DreamColor; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% BCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% BCI-P3; 40.
Display	16° diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WUXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% DCI-P3, HP DreamColor; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 500 nits, 100% sRGB; 40.6 cm (16") diagonal, (2560 x 1600), 120 Hz, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% bCI-P3; 400 cm (16") diagonal, WUXGA (1920 x 1200), UWVA,
Display Available Graphics	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bright of the sum of the
Display Available Graphics Audio	16° diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16° diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16° diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bcl-P3; 16° diagonal, WUXGA (3840 x 2400), 120 Hz, anti-glare, Low Blue Light, 400 nits, 100% bcl-P3; 16° diagonal, WUXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% bcl-P3, HP DreamColor; 16° diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, uWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, uWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, uWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), touch, until glare, 100% state, 1
Display Available Graphics Audio Ports and connectors	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 200 nits, 100% DCI-P3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WUXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% DCI-P3, HP DreamColor; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% blue Light, 400 nits, 100% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 200 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3; HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP DreamColor; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCI-P3, HP Drea
Display Available Graphics Audio Ports and connectors Input devices	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 16" diagonal, WUXGA (1920 x 1200), 10WVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 200 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 200 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% bCi-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low
Display Available Graphics Audio Ports and connectors Input devices Communications	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, 100% DCI-P3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% Blue Light, 400 nits, 100% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 100% DCI-P3;
Display Available Graphics Audio Ports and connectors Input devices Communications Camera	16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCFP3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, 100% DCFP3; 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, sRGB 100%, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 300 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 62.5% sRGB; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100 nits, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, anti-glare, 100% DCFP3; 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWXGA (1920 x
Display Available Graphics Audio Ports and connectors Input devices Communications Camera Software	16° diagonal WUXGA (1920 x 1200), UWWA, anti-glare, 300 nits, 62.5% sRGB: 16° diagonal, WUXGA (1920 x 1200), touch, UWWA, anti-glare, 200 nits, 62.5% sRGB: 16° diagonal, WUXGA (1920 x 1200), touch, UWWA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, Low Blue Light, 400 nits, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 16° diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% sRGB; 40.6 cm (16°) diagonal, WUXGA (1920 x 1200), UWWA, anti-glare, 100% DCI-P3; 100% DCI-
Display Available Graphics Audio Ports and connectors Input devices Communications Camera Software Security management	16° diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 300 nits, 62.5% sRGB; 16° diagonal, WLXGA (1920 x 1200), touch, LWNA anti-glare, 300 nits, 62.5% sRGB; 16° diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, Low Blue Light, 400 nits, 100% bC-P3; IP diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, Low Blue Light, 400 nits, 100% bC-P3; IP diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, Low Blue Light, 400 nits, 100% bC-P3; IP DreamColor; 16° diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, Low Blue Light, 400 nits, 100% bC-P3; IP DreamColor; 16° diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bLC-P3; IP DreamColor; 16° diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bC-P3; IP DreamColor; 40.6 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bC-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bC-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bC-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bC-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% blue Light, 400 nits, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A05 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A00 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A00 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A00 cm (16°) diagonal, WLXGA (1920 x 1200), LWNA, anti-glare, 100% bc-P3; A00 cm (16°) dc-P3; A00 cm (16°) dc-P3; A00 cm (16°) dc-P3; A00 cm (16°) dc-P3; A00



Technical specifications

Management features	HP Client Catalog (download) ⁹ ; HP Client Management Script Library (download) ¹⁰ ; HP Cloud Recovery ²⁶ ; HP Driver Packs (download) ³⁸ ; HP Image Assistant (download) ⁵² ; HP Manageability Integration Kit (download) ²⁷ ; HP Power Manager with Battery Health Manager (download) ⁵³ ; HP Connect for Microsoft Endpoint Manager ²⁸
Memory card device	1 smart card reader (select models)
Power	HP Smart 65 W External AC USB Type-C* power adapter; HP Smart 100 W External AC USB Type-C* power adapter; HP Smart 140 W External AC USB Type-C* power adapter ⁵
Battery type	HP Long Life 3-cell, 62 Wh Li-ion polymer; HP Long Life 8-cell, 77 Wh Li-ion polymer ⁴¹ ;
Battery recharge time	Supports battery fast charge: approximately 50% in 30 minutes ⁴³
Dimensions	14.13 x 9.84 x .76 in; 35.9 x 25 x 1.92 cm; (Dimensions vary by configuration); 19.84 x 12.01 x 2.48 in 504 x 305 x 63 mm (Package)
Weight	Starting at 3.79 lb; Starting at 1.72 kg; (Weight varies by configuration and components.)
Ecolabels	EPEAT® registered configurations available 49
Energy star certified	ENERGY STAR® certified
Sustainable impact specifications	Low halogen; 40% post-consumer recycled plastic; Bulk packaging available; External power supply 90% efficiency; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable 45,46,47,48,50



Footnotes

Messaging Footnotes

1 Battery life will vary depending on the product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See MobileMark25 battery benchmark

1 Battery life will vary depending on the product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See MobileMark25 battery benchmark https://bapaco.com/products/mobilemark2018/ https:/

http://aka.ms/WindowsAlFeatures .

8 For hard drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30GB (for Windows 10) of system disk is reserved for system reco

9 HP Smart Sense requires Windows 10 or higher.

9 HP Smart Sense requires Windows 10 or higher.

9 HP Smart Sense requires Windows 10 or higher.

10 HP Smart Sense requires Windows 10 or higher.

10 HP Smart Sense requires Windows 10 or higher.

10 HP Smart Sense requires Windows 10 or higher.

10 HP Smart Sense requires Windows 10 Os, compatible Processor, and separately purchased Wi-Fi 7 router to with prior 8021 IBE is a draft specification of final. If the final specification differs from the draft specification, it may affect the ability of the device to communicate with "Wi-Fi? supporting gligabit data rate is achievable with Wi-Fi? (8021 IBE) when transferring flies between two devices connected to the same router. Requires a wireless router, sold separately, that supports 160MHz channels. Available on select configurations.

10 Requires Windows OS.

18 HP Wolf Security for Business requires Windows 10 or 11 Pro and higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features

Specification Footnotes

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality, Windows 11 is automatically updated, which is always enabled. ISP fees apply and additional requirements may apply over time for updates. See http://www.windows.com.

**Willtioner is edsigned to improve performance of certain software products. Not all clustomers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

³ Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.

⁴ Intel^a Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.

s Features and software that require a NPU may require software purchase, subscription or enablement by a software or platform provider, and third party software may have specific configuration or compatibility requirements. Potential NPU inferencing performance varies by use, configuration,

7 Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility. If you mix memory speeds, the system will perform at the lower memory speed.

8 Maximized dual-channel performance requires SODIMMs of the same size and speed in both memory channels.

g HP Client Catalog not preinstalled, however available for download at https://www.hp.com/us-en/solutions/client-management-solutions.html

10 HP Client Management Script Library https://www.hp.com/us-en/solutions/client-management-solutions.html#tab=manageability-tools.
11 For storage drives GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35 GB (for Windows 10) is reserved for system recovery software

12 Thunder Dolt™ 4 and USB4™ maximum speed of 40Gbps will be divided between the different data workst 13 HDMI cable sold separately.

Number Speed USB 20Gbps is not available with Thunderbolt™ 4.

"HDM coble sold separately."

*SuperSpeed USB 20(5bps is not available with Thunderbolt" 4.

*HP 5G module is optional and must be configured at the factory, Module designed for 5G NR NSA (non-standalone) networks as carriers deploy Evolved-Universal Terrestrial Radio Access New Radio Dual Connectivity (ENDC) with both 100Mtz of 5G NR and LTE channel bandwidth, using 256QAM 44s as defined by 3GPP Module requires a citylation and separately purchased service contract. Check with service provider for coverage and availability in your area. Data connection, upload and download speeds will vary due to network, location, environment, network conditions, and other factors. Backwards compatible to 4G LTE and 3G HSPA technologies. 5G module planned to be available in select platforms and select countries, where carrier supported.

*With prior 80211 spees. Available in countries where WHF17 is support by purchased with prior 80211 spees. Available in countries where WHF17 is upported. The specification and is not fined if the final speed in the prior 80211 spees. Available in countries where WHF17 is support by purchased with prior 80211 spees. Available in countries where WHF17 is support by purchased with prior 80211 spees. Available in countries where WHF17 is support by purchased service compatibility with prior 80211 spees. Available in countries where WHF16E is supported. WHF16E devices.

*With Effe Tequires at WHF16E router, sold separately, to function in the 6614z band. Availability of public wireless access points limited. WHF16E is backwards compatibility with prior 80211 spees. And available in countries where WHF16E is supported. WHF16E

https://support.hp.com/us-en/document/c05115630

27 HP Manageability Integration Kit not presintalled, however available for downloaded from https://www.hp.com/us-en/solutions/client-management-solutions.html#tab=manageability-tools.

28 HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager required and sold separately. Network connection required.

** HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro. Elite, 2 and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager required and sold separately. Network connection required.

**2 HP Sure Admin requires HP G8 or newer platforms, Windows 10 or thigher, HP BIOS, HP Managedbility Kit or KMS Service from http://www.hp.com/gjo/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.

**3 HP Sure Rower is available on select HP PCs and requires Windows 10 or 11 must be configured at purchase. You must back up important files, data, photos, videos, etc. before use to avoid loss of data. HP Sure Recover Gen6 with Embedded Reimaging is an optional feature on select HP PCs and requires Windows 10 and higher.

**3 HP Sure Start is available on select HP PCs and requires Windows 10 and higher.

**3 Secured-Core PC Enable requires an intel* "Pro", "AMD Riyzen" Pro processor or Qualcomm* processor with SD850 or higher and requires 8 GB or more system memory. Secured-core PC is enabled from the factory.

**4 HP Sure Clike Requires Windows 10 Pro or higher or Enterprise. See https://lbt.VJPatTGA_SureClick for complete details.

**HP Sure View Reflect integrated privacy screen is an optional feature that must be configured at purchase and is designed to function in landscape orientation.

MrVP requires Windows OS.

**Resolutions are dependent upon monitor capability, and resolution and color depth settings.

**HP Tomper Look is an optional feature that must be configured at the factory and requires a supervisor possword be established prior to use.

**HP Fare View Reflect integrated privacy screen is an optional feature that must be configured at the factory and requires a supervisor possword be established prior to use.

**HP Tomper Look is an optional feature that must be configured at the factory and requires a supervisor possword be established prior to use.

**HP Fare Loo 43 Recharges up to 50% within 30 minutes when the system is off or in standby mode when used with the power adapter provided with the notebook. Power adapter minimum of 65 watts required for battery capacities 56Whr or less. Power adapter minimum of 100 watts required for battery capacities greater than 56Whr and less than 83Whr. Power adapter minimum of 120 watts required for battery capacities greater than 83Whr. After charging has reached 90% capacity, charging speed will return to normal. Charging time may vary +/10% due to System

tolerance.

44 HP BIOSphere Gen6 features may vary depending on the platform and configuration.

¹⁵ Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams

46 Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for computers, IEEE 1680.1-2018 standard.

17 HP paper and fiber based packaging for PCs, displays, home and office print, and supplies is reported by suppliers as recycled or certified, with a minimum of 97% by volume verified by HP. Pockaging is the box that comes with the product and all paper-based materials inside the box. Pockaging

for commercial, personal systems accessories, and spare parts is not included.

⁴⁸ Percentage of ocean-bound plastic contained in each component varies by product. Ocean Bound plastic is expressed as a percentage of the total weight plastic. Ocean Bound plastic is based on the definition set by the UL2809 standard.

⁴⁹ Based on US EPEAT* registration according to IEEE 16801-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

50 External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

51 Not all features are available in all editions or versions of Ubuntu. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS to take full advantage of Ubuntu functionality. Ubuntu may be automatically updated. ISP fees may apply and additional

requirements may apply over time for updates.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available for download at https://ftp.ext.hp.com/pub/caps-softpaq/cmit/HPA.html.

Plange Assistant not preinstalled, however available, however ava

54 Copilot+ in Windows requires Windows 11. Some features require an NPU. Timing of feature delivery and availability varies by market and device. Requires Microsoft account to log in. Where Microsoft in Windows is not available, the Copilot key will lead to the Bing search engine. See advants/copilotpluspcs.

55 HP Smart Support requires the HP Insights agent to be installed. For more information about how to enable or to download HP Smart Support, please visit http://www.hp.com/smart-support.

56 HP Will Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP Pro, Elite, RPOS and Workstation products. See product details for included security features.

57 HP Support Assistant is available on Windows. For more information, please visit www.support.hp.com/help/hp-support-assistant.

58 Poly Lens Desktop requires a Windows 0S.

59 HP Connection Optimizer requires Windows 10 and Windows 11.

50 Absolute Persistence firmwer module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/fegal/agreements/absolute/.

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and © Copyright 2023 HP Development Company, LP: In entormation contained neterial is subject to change without notice. The only warranties for HP products and services and services are set form in the express warranty statements accompanying such products and services are set torm in the express warranty statements accompanying such products and services are set torm in the express warranty statements accompanying such products and services are set torm in the express warranty statements accompanying such products and services are set torm in the express warranty statements accompanying such products and services are set torm in the express warranty statements was accompanying such products and services are set torm in the express warranty statements was contained the express warranty statements was contained in the United States and other countries. AMD, Ryzen, Athlon, and Radeon are trademarks of Avanced Micro Devices, Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. NVIDIA and GeForce are trademarks of United States and other countries. USB Type-C* and USB-C* are registered trademarks of Welface Electronics Standards Association (VESA)* in the United States and other countries. McAfee and McAfee LiveSafe are trademarks or registered trademarks of McAfee LLC in the United States and other countries. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their respective owners.



